Volume II

Creosote Treated Timber in the Alaskan Marine Environment: a Report to the Alaska Department of Transportation and Public Facilities

By
Dr. Robert A. Perkins, PE
Institute of Northern Engineering
University of Alaska Fairbanks
ffrap@uaf.edu

Draft Final Report
Report No. INE09.xx

University of Alaska Fairbanks
Fairbanks, Alaska 99775
www.uaf.edu/ine

The contents of this report reflect the views of the authors who are responsible for the facts and the accuracy of the data presented herein. The contents do not necessarily reflect the official views of the Alaska University Transportation Center or the Alaska Department of Transportation and Public Facilities. This report does not constitute a standard, specification, or regulation.

Volume II
Contents

Section I, Catalog Cuts

1. Plastic piles and structural members
2. Plastic pile coating,
3. Plastic products that attach to the outside of piles.
4. Epoxy. an epoxy grout that will bond to wet wood (or concrete or steel).
5. Supplier of ACZA, a water-born copper-based preservative Chemonite®
6. Stainless steel fasteners or a plastic sleeve for steel fasteners are recommended for ACZA.

Section II, Stratus Creosote Report and Comments

1. Federal Register announcement of report and request for comments
2. Comments of David A. Webb, Administrative Director, Creosote Council III
3. Comments of Dr. Kenneth M. Brooks produced for the Western Wood Preservers Institute
4. Transmittal by Chris Risbrudt of the Forest Service
5. Memo from Stan Lebow, PhD, of Forest Service that contains FS comments
6. Letter with comments from William B. Smith of Wood Products Engineering of SUNY Syracuse.
7. Peer Review comments by Timothy T. Townsend, PE, PhD, prepared by the University of Miami Independent System for Peer Review.
8. Peer Review comments by Jason M. Weeks of Cefas
9. Peer Review comments by Judith S. Weis of Rutgers for University of Miami Independent System for Peer Review
10. Stratus Creosote Report

Section III, NOAA Guidelines and Comments

1. Federal Register announcement of report and request for comments
2. Comments by Robert L. Alverts for Western Wood Preservers Institute
3. Comments by Dr. Robert A. Perkins, PE, not transmitted to NOAA
4. NOAA Guidelines. (These are in a separate pdf file)

Section IV, WWPI Documents

1. Best Management Practices. Descriptive brochure. Includes general information and information not specific to creosote.
2. Best Management Practices. More technical than 1.) above. In specification format.
3. Treated Wood in Aquatic Environments. Semi-technical document. Has section on selection of preservative with retention recommendations. Also has WWPI risk matrix.